

Cutting Solutions

For ceramics, metals & plasters

SSD – Discs
Cerakill – Discs
Flexicut – Discs
Simplecut – Discs
Plexilight - Trimmers

Los discos ssd y cerakill son discos de corte de muy alto rendimiento y utilizados principalmente para separar el metal y el trabajo interdental. La longevidad de este producto es absolutamente extraordinaria e inusual.

Para un proceso de trabajo donde se requiere mayor flexibilidad, se utiliza un disco estándar de flexicut y simplecut.



Cerakill, highest quality disc

Easy to order:

Under each instrument drawing, there are 3 rows: ISO Fig., ISO grit & ISO Ø

- ISO Fig. indicates the shape of the grinding body
e.g.: **345/.../...**
- ISO code indicates the type of binder and diamond grit
e.g.: 345/**513/...**

Grit Type	ISO Grit	Colour Code	Application
Super Fine	503 or 504	Yellow	Ceramic
Fine	513 or 514	Red	Ceramic & Metal & Plaster
Medium	523 or 524	None	Ceramic & Metal & Gold
Medium - Coarse	532	Light Blue	Ceramic & Metal
Medium - Coarse	533	Dark - Blue	Metal
Coarse	542	Green	Metal
Super Coarse	543 or 544	Black	Metal / Plaster

Example:



Ref: **SSD 345/513/240**

- ISO Ø indicates the diameter of the grinding body
e.g.: 345/513/**240**
- Complete example for ordering:
e.g.: **SSD 345/513/240** with its corresponding quantity

Cutting solutions

SSD for ceramics & metals



Working part length	0.3		0.7		0.3		0.7	
ISO Fig.	372		370		372		370	
ISO Code	532	513 523	532	513 523	532	513 523	532	513 523
ISO \varnothing	070		070		080		080	



Working part length	0.7		0.3		0.3		0.3	
ISO Fig.	051		345		345		345	
ISO Code	532	513 523	532	513 523	532	513 523	532	513 523
ISO \varnothing	080		100		120		160	




Working part length	0.3		0.3		0.3		0.3	
ISO Fig.	345		345		345		345	
ISO Code	532	513 523	532	513 523	532	513 523	532	513 523
ISO \varnothing	180		190		200		220	



Working part length	0.3		0.3				0.2	
ISO Fig.	345		345					
ISO Code	532	513 523	532	513 523			Ref: 345/513/200/0,2	
ISO \varnothing	240		310					

Cutting solutions

Cerakill for ceramics & plaster



Working part length	0.10		0.16		0.30		0.30	
ISO Fig.	354		354		354		354	
ISO Code	514	-	514	524	-	544	-	544
ISO \varnothing	100		200		300		450	

Flexicut for ceramics



Working part length	0.10		0.10	
ISO Fig.	355		355	
ISO Code	504	514	504	514
ISO \varnothing	190		220	

Simplecut for ceramics & plasters



Working part length	0.22		0.17	
ISO Fig.	350		380	
ISO Code	-	514	-	514
ISO \varnothing	220		220	