

# Cutting Solutions

For ceramics, metals & plasters

SSD – Discs  
Cerakill – Discs  
Flexicut – Discs  
Simplecut – Discs  
Plexilight - Trimmers

Los discos ssd y cerakill son discos de corte de muy alto rendimiento y utilizados principalmente para separar el metal y el trabajo interdental. La longevidad de este producto es absolutamente extraordinaria e inusual.

Para un proceso de trabajo donde se requiere mayor flexibilidad, se utiliza un disco estándar de flexicut y simplecut.



Cerakill, highest quality disc

**Easy to order:**

Under each instrument drawing, there are 3 rows: ISO Fig., ISO grit & ISO Ø

- ISO Fig. indicates the shape of the grinding body  
e.g.: 345/.../....
- ISO code indicates the type of binder and diamond grit  
e.g.: 345/513/...

Grit Type	ISO Grit	Colour Code	Application
Super Fine	503 or 504	Yellow	Ceramic
Fine	513 or 514	Red	Ceramic & Metal & Plaster
Medium	523 or 524	None	Ceramic & Metal & Gold
Medium - Coarse	532	Light Blue	Ceramic & Metal
Medium - Coarse	533	Dark - Blue	Metal
Coarse	542	Green	Metal
Super Coarse	543 or 544	Black	Metal / Plaster

Example:



Ref: SSD 345/513/240

- ISO Ø indicates the diameter of the grinding body  
e.g.: 345/513/240
- Complete example for ordering:  
e.g.: SSD 345/513/240 with its corresponding quantity

# Cutting solutions

## SSD for ceramics & metals



Working part length	0.3		0.7		0.3		0.7	
ISO Fig.	372		370		372		370	
ISO Code	532	513	523	532	513	523	532	513
ISO $\varnothing$	070		070		080		080	



Working part length	0.7		0.3		0.3		0.3	
ISO Fig.	051		345		345		345	
ISO Code	532	513	523	532	513	523	532	513
ISO $\varnothing$	080		100		120		160	




Working part length	0.3		0.3		0.3		0.3	
ISO Fig.	345		345		345		345	
ISO Code	532	513	523	532	513	523	532	513
ISO $\varnothing$	180		190		200		220	



Working part length	0.3		0.3				0.2	
ISO Fig.	345		345					
ISO Code	532	513	523	532	513	523	Ref: 345/513/200/0,2	
ISO $\varnothing$	240		310					

## Cutting solutions

### Cerakill for ceramics & plaster



Working part length	0.10		0.16		0.30		0.30	
ISO Fig.	354		354		354		354	
ISO Code	514	-	514	524	-	544	-	544
ISO $\varnothing$	100		200		300		450	

### Flexicut for ceramics



Working part length	0.10		0.10	
ISO Fig.	355		355	
ISO Code	504	514	504	514
ISO $\varnothing$	190		220	

### Simplecut for ceramics & plasters



Working part length	0.22		0.17	
ISO Fig.	350		380	
ISO Code	-	514	-	514
ISO $\varnothing$	220		220	